

Ch	Instrument	Mic /Di	Insert	Monitoring	Band-
					member
1	Kick In	B91	Comp/Gate	Drums,bass,guitar	Robbert
2	Kick Out	B52 /D6	Comp/		
			Gate		
3	Snare Top	sm57	Comp		
4	Snare Bottom	Sm57	Comp		
5	Hihat	184/Ck91/ cond.			
6	Racktom 1	E604	Gate		
7	Racktom 2	E604	Gate		
8	Floortom	E604	Gate		
9	Oh Left	414/184 Cond.			
10	Oh Right	414/184 Cond.			
11	Roland SPD Out 1 Perc	Di		all members	
12	Roland SPD Out 2 Perc	Di		all members	
13	Roland SPD Out 3 Seq	Di		all members	
14	Roland SPD Out 4 Seq	Di		all members	
15	Bass Guitar	Di	Comp		Anil
16	Guitar Left	Di		bass	Jerry
17	Guiter Right	Di			
18	Piano L	Di		bass,Guitar	Carlos
19	Piano R	Di		bass,Guitar	
20	Synth L	Di		all members	
21	Synth R	Di		all members	
22	Vocal Guitar	Own Mic sm58	Comp	guitar, bass	Jerry
23	Vocal Lead Male 1	Sm58	Comp	guitar, bass,keys,	Gerold
				drums	
24	Vocal Lead Female	Sm58	Comp	guitar,bass, keys,	Xiomara
				drums	
25	Vocal Lead Male 2	Own Mic	Comp	guitar, bass.	Nando
		wirl/Harm*		Keys,drums	
26	Vocal Bass Guitar	Own Mic B87	Comp	bass, guitar	Anil
		Cond.			
27	Fx 1 Stereo Rev				
28	Fx 2 Stereo Rev				
29	Fx 3 Stereo Delay				
30					
31					
32	Talkback Mic FOH			all members	Farhad
	Engineer				

Note

Lead Vocal Male 2 (Nando) needs to have his wireless Mic connected to his harmoniser. Harmoniser output connects to mix console

1 stereo aux send bus needs to be connected to his in ear system.

Stageplan

Please view our stageplan by selecting the link below:

https://stage-plan.com/stageplan/plan/20221108025649pjwn0PsZ

Foh/PA requirements

Good and completely functioning F.O.H. desk, at least 32 Channels, 8 Subgroup,8x Sends/8x VCA e.g. Allen and Heath Dlive or equivalent.

3 or 4 way FOH speakersystem of a leading Brand e.g. D&B/Meyer Sound fully tuned.

A System engineer (familiar with the sound system at the foh desk is preferred.

ASL Intercom System with Light Busser

Good and fully functioning Monitor desk of a leading brand, at least 32 inputs, 8 auxes and 4 band eq per channel

At least 8 good eq'ed monitors of a leading brand (15"/2") and side fills for lager stages.

A soundengineer at the monitor desk at all times at the disposal of the bandmembers during the show.

Riser for drums (30 - 50 cm) if possible

Good and fully working bass amp (at least 500 watts RMS - Ampeg/Aguilar

Good and fully functioning Guitar amp - Roland jc 120/Mesa Boogie

La Fiesta allways works with their own F.O.H. Engineer

Bandmembers

Drums	Robbert	
Keys	Carlos	
Guitar	Jerry	
Bassguitar	Anil	
Leadvocal Male 1	Gerold (optional)	
Leadvocals Female	Xiomara	
Leadvocal Male 2	Nando	
FOH Engineer	Farhad	

For general questions please contact

Anil Panday (Manager) Phone +31654654346

Email: arpanday@yahoo.com

For Technical questions please contact

Farhad Alibux (Sound Engineer)

Phone +31624882000

Email: farhad.alibux@hotmail.com